


UC200 Series



UC 200 (normal-duty)



select	Inquiry	Bearing No.	Shaft Dia		Dimensions(mm)							Basic Load Rating(N) Weight(kg)	
			in	mm	D	Bi	Be	n	m	G	ds	Cr	Cor
UC201		12	47	31	16	12.7	18.3	5	M6x1.0	12800	6650	0.2	
UC201-8	1/2	12	47	31	16	12.7	18.3	5	M6x1.0	12800	6650	0.19	
UC202		15	47	31	16	12.7	18.3	5	M6x1.0	12800	6650	0.18	
UC 202-10	5/8	15	47	31	16	12.7	18.3	5	M6x1.0	12800	6650	0.18	
UC203		17	47	31	16	12.7	18.3	5	M6x1.0	12800	6650	0.17	
UC203-11	11/16	17	47	31	16	12.7	18.3	5	M6x1.0	12800	6650	0.17	
UC204-12	3/4	20	47	31	16	12.7	18.3	5	M6x1.0	12800	6650	0.16	
UC204		20	47	31	16	12.7	18.3	5	M6x1.0	12800	6650	0.15	
UC205-14	7/8	25	52	34.1	17	14.3	19.8	5.5	M6x1.0	14000	7880	0.22	
UC205-15	15/16	25	52	34.1	17	14.3	19.8	5.5	M6x1.0	14000	7880	0.2	
UC205		25	52	34.1	17	14.3	19.8	5.5	M6x1.0	14000	7880	0.19	
UC205-16	1	25	52	34.1	17	14.3	19.8	5.5	M6x1.0	14000	7880	0.19	
UC206-18	1 1/8	30	62	38.1	19	15.9	22.2	6	M6x1.0	14500	11200	0.32	
UC206		30	62	38.1	19	15.9	22.2	6	M6x1.0	14500	11200	0.3	
UC206-19	1 3/16	30	62	38.1	19	15.9	22.2	6	M6x1.0	14500	11200	0.3	
UC206-20	1 1/4	30	62	38.1	19	15.9	22.2	6	M6x1.0	14500	11200	0.3	
UC207-20	1 1/4	35	72	42.9	20	17.5	25.4	6.5	M8x1.0	25700	15200	0.5	
UC207-21	1 5/16	35	72	42.9	20	17.5	25.4	6.5	M8x1.0	25700	15200	0.48	
UC207-22	1 3/8	35	72	42.9	20	17.5	25.4	6.5	M8x1.0	25700	15200	0.45	
UC207		35	72	42.9	20	17.5	25.4	6.5	M8x1.0	25700	15200	0.45	
UC207-23	1 7/16	35	72	42.9	20	17.5	25.4	6.5	M8x1.0	25700	15200	0.42	
UC208-24	1 1/2	40	80	49.2	21	19	30.2	8	M8x1.0	29600	18200	0.64	

UC200 Series

UC208-25	$\frac{1}{9/16}$	40	80	49.2	21	19	30.2	8	M8x1.0	29600	18200	0.6
UC208		40	80	49.2	21	19	30.2	8	M8x1.0	29600	18200	0.59
UC209-26	1 5/8	45	85	49.2	22	19	30.2	8	M8x1.0	31850	20800	0.74
UC209-27	$\frac{1}{11/16}$	45	85	49.2	22	19	30.2	8	M8x1.0	31850	20800	0.71
UC209-28	1 3/4	45	85	49.2	22	19	30.2	8	M8x1.0	31850	20800	0.68
UC209		45	85	49.2	22	19	30.2	8	M8x1.0	31850	20800	0.65
UC210-30	1 7/8	50	90	51.6	23	19	32.6	10	M10x1.0	35100	23200	0.85
UC210-31	$\frac{1}{15/16}$	50	90	51.6	23	19	32.6	10	M10x1.0	35100	23200	0.76