


UC300 Series



UC 300 (heavy-duty)



select	Inquiry	Bearing No.	Shaft Dia		Dimensions(mm)							Basic Load Rating(N)		Weight(kg)
			in	mm	D	Bi	Be	n	m	G	ds	Cr	Cor	
UC305		25	62	38	20	15	23	6	M6X1.0	22400	11500	0.34		
UC305-16	1	25	62	38	20	15	23	6	M6X1.0	22400	11500	0.34		
UC306-18	1/18	30	72	43	23	17	26	6	M6X1.0	26500	15200	0.52		
UC306		30	72	43	23	17	26	6	M6X1.0	26500	15200	0.52		
UC306-20	1 1/4	30	72	43	23	17	26	6	M6X1.0	26500	15200	0.52		
UC307-20	1 1/4	35	80	48	25	19	29	8	M8X1.0	33300	19200	0.68		
UC307-22	1 3/8	35	80	48	25	19	29	8	M8X1.0	33300	19200	0.68		
UC307		35	80	48	25	19	29	8	M8X1.0	33300	19200	0.68		
UC308-24	1 1/2	40	90	52	27	19	33	10	M10X1.0	40600	23700	0.95		
UC308		40	90	52	27	19	33	10	M10X1.0	40600	23700	0.95		
UC309-28	1 3/4	45	100	57	30	22	35	10	M10X1.0	48600	28900	1.22		
UC309		45	100	57	30	22	35	10	M10X1.0	48600	28900	1.22		
UC310-31	1/15/16	50	110	61	32	22	39	12	M12X1.5	61700	37800	1.57		
UC310		50	110	61	32	22	39	12	M12X1.5	61700	37800	1.57		
UC310-32	2	50	110	61	32	22	39	12	M12X1.5	61700	37800	1.57		
UC311-32	2	55	120	66	34	25	41	12	M12X1.5	71500	44800	1.98		
UC311		55	120	66	34	25	41	12	M12X1.5	71500	44800	1.98		
UC312		60	130	71	36	26	45	12	M12X1.5	81600	51800	2.45		
UC312-36	2 1/4	60	130	71	36	26	45	12	M12X1.5	81600	51800	2.45		
UC313-40	2 1/2	65	140	75	38	30	45	12	M12X1.5	93700	60400	3.14		

UC300 Series

UC313		65	140	75	38	30	45	12	M12X1.5	93700	60400	3.14
UC314-44	2 3/4	70	150	78	40	33	45	12	M12X1.5	103600	67100	3.62
UC314		70	150	78	40	33	45	12	M12X1.5	103600	67100	3.62
UC315		75	160	82	42	32	50	14	M14X1. 5	112800	75700	4.5
UC315-48	3	75	160	82	42	32	50	14	M14X1. 5	112800	75700	4.5
UC316		80	170	86	44	34	52	14	M14X1.5	123500	88200	5.2
UC316-50	3 1/8	80	170	86	44	34	52	14	M14X1.5	123500	88200	5.2
UC317		85	180	96	46	40	56	16	M16X1. 5	133000	96500	6.63
UC317-52	3 1/4	85	180	96	46	40	56	16	M16X1. 5	133000	96500	6.63
UC318-56	3 1/2	90	190	96	48	40	56	16	M16X1.5	144700	110600	7.33